Day : Tuesday
Date: 7/18/2006

PALM INTRANET

Time: 07:07:15

Inventor Information for 10/272929

Inventor Name	City	State/Country
BEAUREGARD, MARC	TROIS-RIVIERES	CANADA
GAGNON, MYLENE-CLAUDE	TROIS-RIVIERES	CANADA
DOUCET, ALAIN	L'ANCIENNE-LORETTE	CANADA
WILLIAMS, MARTIN	CHARNY	CANADA

[Appln Info] [Contents] [Petition Info] [Atty/Agent Info] [Continuity/Reexam] [Foreign

Search Another: Application# [   ] [Search]   **or Patent#** [   ] [Search]

PCT / [   ] **/** [   ] [Search]   **or PG PUBS #** [   ] [Search]

Attorney Docket # [   ] [Search]

Bar Code # [   ] [Search]

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

PALM INTRANET

Application Number Information

Application Number: **10/272929**
Assignments

Filing or 371(c) Date: **10/18/2002**

Effective Date: **10/18/2002**

Application Received: **10/18/2002**
Pat. Num./Pub. Num: **/20030118573**
Issue Date: **00/00/0000**
Date of Abandonment: **00/00/0000**
Attorney Docket Number: **15493-1US
PM/MG/al**
Status: **41 /NON FINAL ACTION MAILED**
Confirmation Number: **2858**
Title of Invention: **MB-1 ANALOGS AND USES THEREOF**

Examiner Number: **77509 / WOITACH, JOSEPH**

Group Art Unit: **1632**   **IFW IMAGE**

Class/Subclass:
514/044.000
Lost Case: **NO**
Interference Number:
Unmatched Petition: **NO**
L&R Code: Secrecy Code:**1**

Third Level Review: **NO**

Waiting for Response
Desc.
Mail Non Final

Secrecy Order: **NO**

Status Date: **05/18/2006**

Oral Hearing: **NO**

Bar Code	PALM Location	Location Date	Charge to Loc	Charge to Name	Employee Name	Location

Appln Info | Contents | | Petition Info | | Atty/Agent Info | | Continuity/Reexam | | Foreign Data |

Search Another: Application# [   ] [Search]   **or Patent#** [   ] [Search]

PCT / [   ] / [   ] [Search]   **or PG PUBS #** [   ] [Search]

Attorney Docket # [   ] [Search]

Bar Code # [   ] [Search]

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = BEAUREGARD
First Name = MARC

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09037948	Not Issued	161	03/10/1998	GENETICALLY ENGINEERED RUMEN BACTERIAL STRAINS	BEAUREGARD, MARC
09810520	6958992	150	03/16/2001	REGISTERING AN IP PHONE WITH AN IP PHONE SWITCH	BEAUREGARD, MARC
10272929	Not Issued	41	10/18/2002	MB-1 analogs and uses thereof	BEAUREGARD, MARC
10625882	Not Issued	71	07/24/2003	MB-1 analogs and uses thereof	BEAUREGARD, MARC
10776180	Not Issued	71	02/12/2004	Method of mutagenic chain reaction	BEAUREGARD, MARC
11110069	Not Issued	30	04/20/2005	Registering an IP phone with an IP phone switch	BEAUREGARD, MARC
11394281	Not Issued	20	03/31/2006	System and method for scanning communications according to a policy	BEAUREGARD, MARC
60329759	Not Issued	159	10/18/2001	MB-1 analogs and uses thereof	BEAUREGARD, MARC
60446518	Not Issued	159	02/12/2003	Method of mutagenic chain reaction	BEAUREGARD, MARC
10306634	Not Issued	61	11/27/2002	Expandable skin for safety restraint system	BEAUREGARD, MARC P.
60278909	Not Issued	159	03/26/2001	Vehicle subfloor incorporating a ventilation system	BEAUREGARD, MARC P.

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
BEAUREGARD	MARC	Search

To go back use Back button on your browser toolbar.

NCBI

Pub**Med**
www.pubmed.gov

A service of the National Library of Medicine
and the National Institutes of Health

All Databases   PubMed   Nucleotide   Protein   Genome   Structure   OMIM   PMC   Journals   [

Search PubMed ☑ for milk bundle protein [Go] [Clear] Save S

Limits   Preview/Index   History   Clipboard   Details

Display Summary ☑ Show 20 ☑ Sort by ☑ Send to ☑

All: 13   Review: 0 ⚒

Items 1 - 13 of 13

One page.

About Entrez

Text Version

Entrez PubMed
Overview
Help | FAQ
Tutorials
New/Noteworthy 🔊
E-Utilities

PubMed Services
Journals Database
MeSH Database
Single Citation Matcher
Batch Citation Matcher
Clinical Queries
Special Queries
LinkOut
My NCBI

Related Resources
Order Documents
NLM Mobile
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

☐ 1: Khoudi H, Beauregard M.   Related Articles, Links

The de novo designed nutritive protein MB-1Trp does not resist proteolytic
degradation in alfalfa leaves.
Plant Physiol Biochem. 2005 Dec;43(12):1039-43. Epub 2005 Dec 13.
PMID: 16386425 [PubMed - indexed for MEDLINE]

☐ 2: Carbonare CB, Carbonare SB, Carneiro-Sampaio MM.   Related Articles, Links

Early acquisition of serum and saliva antibodies reactive to
enteropathogenic Escherichia coli virulence-associated proteins by infants
living in an endemic area.
Pediatr Allergy Immunol. 2003 Jun;14(3):222-8.
PMID: 12787303 [PubMed - indexed for MEDLINE]

☐ 3: de Souza Campos Fernandes RC, Quintana Flores VM, Medina-   Related Articles, Links
Acosta E.

Prevalent transfer of human colostral IgA antibody activity for the
enteropathogenic Escherichia coli bundle-forming pilus structural
repeating subunit A in neonates.
Diagn Microbiol Infect Dis. 2002 Dec;44(4):331-6.
PMID: 12543537 [PubMed - indexed for MEDLINE]

☐ 4: Xue HH, Kovanen PE, Pise-Masison CA, Berg M, Radovich MF,   Related Articles, Links
Brady JN, Leonard WJ.

IL-2 negatively regulates IL-7 receptor alpha chain expression in activated
T lymphocytes.
Proc Natl Acad Sci U S A. 2002 Oct 15;99(21):13759-64. Epub 2002 Sep 27.
PMID: 12354940 [PubMed - indexed for MEDLINE]

☐ 5: Moore SA, Kingston RL, Loomes KM, Hernell O, Blackberg L,   Related Articles, Links
Baker HM, Baker EN.

The structure of truncated recombinant human bile salt-stimulated lipase
reveals bile salt-independent conformational flexibility at the active-site
loop and provides insights into heparin binding.
J Mol Biol. 2001 Sep 21;312(3):511-23.
PMID: 11563913 [PubMed - indexed for MEDLINE]

☐ 6: Campagna S, Cosette P, Molle G, Gaillard JL.   Related Articles, Links

Evidence for membrane affinity of the C-terminal domain of bovine milk
PP3 component.
Biochim Biophys Acta. 2001 Aug 6;1513(2):217-22.

PMID: 11470093 [PubMed - indexed for MEDLINE]

☐ 7: Dopfer D, Nederbragt H, Almeida RA, Gaastra W.   Related Articles, Links

Studies about the mechanism of internalization by mammary epithelial cells of Escherichia coli isolated from persistent bovine mastitis.
Vet Microbiol. 2001 Jun 6;80(3):285-96.
PMID: 11337144 [PubMed - indexed for MEDLINE]

☐ 8: Gagnon MC, Williams M, Doucet A, Beauregard M.   Related Articles, Links

Replacement of tyr62 by trp in the designer protein milk bundle-1 results in significant improvement of conformational stability.
FEBS Lett. 2000 Nov 3;484(2):144-8.
PMID: 11068049 [PubMed - indexed for MEDLINE]

☐ 9: Alexander J, del Guercio MF, Maewal A, Qiao L, Fikes J, Chesnut Related Articles, Links
RW, Paulson J, Bundle DR, DeFrees S, Sette A.

Linear PADRE T helper epitope and carbohydrate B cell epitope conjugates induce specific high titer IgG antibody responses.
J Immunol. 2000 Feb 1;164(3):1625-33.
PMID: 10640784 [PubMed - indexed for MEDLINE]

☐ 10: Grundy J, Morrison JJ, MacCallum JD, Wirtanen L, Beauregard Related Articles, Links
M.

Crystallization and stabilization of MB-1, a de novo designed protein for optimized feeding technology.
J Biotechnol. 1998 Jul 30;63(1):9-15.
PMID: 9764479 [PubMed - indexed for MEDLINE]

☐ 11: Grundy JE, Wirtanen LY, Beauregard M.   Related Articles, Links

Addition of a poly-(6X) His tag to Milk Bundle-1 and purification using immobilized metal-affinity chromatography.
Protein Expr Purif. 1998 Jun;13(1):61-6.
PMID: 9631516 [PubMed - indexed for MEDLINE]

☐ 12: Delneri MT, Carbonare SB, Silva ML, Palmeira P, Carneiro- Related Articles, Links
Sampaio MM.

Inhibition of enteropathogenic Escherichia coli adhesion to HEp-2 cells by colostrum and milk from mothers delivering low-birth-weight neonates.
Eur J Pediatr. 1997 Jun;156(6):493-8.
PMID: 9208250 [PubMed - indexed for MEDLINE]

☐ 13: Damsky CH, Sheffield JB, Tuszynski GP, Warren L.   Related Articles, Links

Is there a role for actin in virus budding?
J Cell Biol. 1977 Nov;75(2 Pt 1):593-605.
PMID: 233748 [PubMed - indexed for MEDLINE]

Display | Summary ▽ | Show | 20 ▽ | Sort by ▽ | Send to ▽

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Privacy Statement | Freedom of Information Act | Disclaimer

Jul 11 2006 06:31:05

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?CMD=search&DB=PubMed   7/18/06

[0118] Design Strategy

[0119] The putative modifications to MB-1 structure are illustrated in FIG. 7.
The design strategy used here focused on two aspects: 1--the restrictive effect
of a covalent bond between remote residues on the protein as a whole; and
2--the precise location of Cys which permits disulfide bridge formation. By
choosing positions as far apart as possible, one can reduce the entropy gain
upon unfolding for most of the protein. Thus, insertion of a bridge between
helices I and IV would enclose a larger part of the polypolypeptide than a
bridge involving other helices. Another consideration for using helix I is
that this MB-1 segment of sequence is sensitive to proteolytic degradation.
The restriction of helix I by Cys insertion could help prevent such a
phenomenon.

[0120] The position of Cys in helices I and IV must allow sulfhydryl groups to
be properly aligned in order to minimise strain induced by bridge formation.
On the basis of geometric models built for similar proteins, it appeared that
position "d" of the heptad pattern used for MB-1 design would offer the best
geometry for bridge formation. Therefore, L13 and M87 residues were selected
for mutation to Cys. FIG. 7 depicts the expected location of the bridge in the
mutant (hereafter referred to as MB-1LH, assuming it folds as per design).
Note that for proper alignment of position "d" in helices I and IV, a left-hand
connectivity of the helices had to be assumed (i.e. the bundles are positioned
such that when helix I is at the fore front, with its N-terminus pointing down,
then helix II is placed to the left of helix I). A second scenario was
considered, in which a right-hand connectivity could be specified. Examination
of the second model in FIG. 7 suggests mutations at positions "a" in helices I
and IV, since positions "d" would be too far apart. By choosing M10

and L91
residues for mutation to Cys, we attempted to generate a mutant
(named MB-1RH)
that would resemble MB-1LH as much as possible, except for reversing
its
connectivity.

[0121] Disulfide bridges was also inserted into MB-1Trp. This
protein is a
derivative of MB-1 where Tyr62 was replaced by Trp. Position 62 in
MB-1 was
chosen for the emplacement of a spectroscopic probe at the moment of
initial
design. As shown on the model in FIG. 1, position 62 is part of the
hydrophobic core, and a niche made of 5 Ala was built around it in
order to
accommodate a larger side chain in this region of the core. The
replacement of
Tyr by Trp was thought to improve on stability, and indeed,
characterisation of
MB-1Trp confirmed the strategy. MB-1Trp has a melting temperature of
55.degree. C. and is more resistant to protease action than MB-1.
Here we are
going to use MB-1Trp because of the increase in bulk offered by Trp
in the
core, in a way to compensate for the loss of volume consequent to the
mutations
used for bridge insertion.

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20040198681".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/07/18 07:05
L2	2	"20040198681".pn. and MB	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/07/18 07:14
L3	4	"20040198681".pn. or "20030118573".pn.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/07/18 07:26
L4	58237	MB- or (milk adj1 bundle)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/07/18 07:27
L5	58237	(MB- or mb) or (milk adj1 bundle)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/07/18 07:27
L6	410	(MB-1) or (milk adj1 bundle)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/07/18 07:27
L7	4	(milk adj1 bundle)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/07/18 07:28
L8	409	mb-1	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/07/18 07:28
L9	32	mb-1 and milk	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2006/07/18 07:28

Woitach, Joseph

Dear Examiner Woitach,

I just checked SCORE and the results for your sequence search are there now. I would encourage you to use SCORE and see your results today.
****
http://es/ScoreAccessWeb/GetItems.action?AppId=10625882&ItemType=4&VersionNo=1
After downloading files, use Microsoft Word to view, manipulate and print.
****

Go to eDan and click on the SCORE icon, the button with a tiny double helix, third button from the end on the right (directly to the right of the yellow envelope icon). Then click on the SCORE Home Page Button.

OR use http://es/ScoreAccessWeb/ (Bookmark this website for future viewing of results.)

1) Enter the serial number in the **Identification Number box** and click on **Submit.**

2) The next screen you will see is: **SCORE Table of Contents for Application**

3) Click on the **Number of Search Results** in the center box.

4) Click on the Sequence IDs (all are hyperlinked) to see your results. On this screen, note that there is a header **Item Listing Version#**

5)   If you don't see all of your results (or to see all previous search results), click on the **View version list for this application** link. And then click on another version number.

If you have any problems, please do not hesitate to call me for assistance. You can print or download the results from your desktop. No need to wait for a printout of the results when you can view the results now.

If you still would like to receive a printout or disk from us, please e-mail me and let me know whether you prefer a printout or disks for your output for this case.

Please let me know if you have any questions. Thank you for using STIC services.

Kristine Hensle
Librarian
ASRC
Biotechnology Chemical Library - A179
USPTO
571-272-4161
571-272-2520 (Biotechnology/ Chemical Library)
Fax: 571-273-0225

search
dback form2.c

1

From:	Woitach, Joseph
Sent:	Thursday, July 13, 2006 10:11 AM
To:	STIC-Biotech/ChemLib
Subject:	sequence search request

Hello,

For application: 10/625,882,
can you please do a search of SEQ ID NO: 1 (protein),
and oligo search of SEQ ID NO: 6, the corresponding nucleic acid sequence.

Thank you,
Joe

Joseph Woitach

(571) 272-0739

Mailbox in Remsen 2C18